Pacific Northwest
NATIONAL LABORATORY
Proudly Operated by Battelle Since 1965

Transactive Energy - Automated Use of Demand Side Resources to Help Grid Operations

RON MELTON

Pacific Northwest National Laboratory

Utility Energy Forum
Tahoe City, CA 5 May 2016

PNNL-SA-117798

Our world is growing more complex faster than our control methods can handle

Pacific Northwest NATIONAL LABORATORY
Proudly Operated by Battelle Since 1965

Complex systems

- Highly interconnected
- Heterogeneous device-human participation
- Extreme data
- Pervasive intelligence
- Autonomous decision-making
- Diverse and often competing objectives



Global energy goals cannot be met without changes in how we control complex systems

Pacific Northwest NATIONAL LABORATORY
Proudly Operated by Battelle Since 1965

Energy systems offer

- Potential for substantial efficiencies in end-use systems with new controls
- More data and devices available

But

- New asset behaviors difficult to coordinate
- Existing controls antiquated to changes

Cyber-physical systems offer

- Growing “edge” computing resources
- Cloud computing scaling paradigm

But

- Existing security models challenged

Traditional centralized control approaches are a common weakness






Impact of Distributed Energy Resources



From – De Martini & Kristov, 2015

Evolution of Two-Market Systems



Existing Bulk Organized Markets

Emerging Distribution DER Markets

Transactive Energy – an approach to responding to our changing world…

Pacific Northwest NATIONAL LABORATORY
Proudly Operated by Battelle Since 1965

"A set of economic and control mechanisms that allows the dynamic balance of supply and demand across the entire electrical infrastructure using value as a key operational parameter."

GridWise® Architecture Council, Transactive Energy Framework

- Use market mechanisms to perform distributed optimization
  - Reflect value in exchangeable terms (price)
  - Effectively allocate available resources and services in real-time
  - Provide incentive for investment on longer time horizon
- Use communications and automation of devices and systems as real-time agents for market interaction
  - Agents convey preferences and perform local control actions
  - Engage in one or more markets to trade for services, e.g.,
    - Real-time energy, peak-shaving
    - System reserves



Types of Smart Grid Coordination

- **Direct (Top-Down) Control**
  - Utility switches devices on/off remotely
  - No local information considered
- **Central Control/Optimization**
  - Optimization and control from a central point
  - Relevant local information must be communicated to central point
- **Price Reaction Control**
  - Prices signalled to customers and/or their automated devices
  - No communication of local information
- **Transactive Energy (TE)**
  - Automated devices engage in market interactions
  - Information exchange includes quantity (e.g., power, energy) and price



Slide produced with permission from Dr. Koen Kok, The PowerMatcher Smart Coordination for the Smart Electricity Grid, published by TNO, The Netherlands, 2013. www.tinyurl.com/PowerMatcherBook

Smart Energy Management Matrix

Pacific Northwest NATIONAL LABORATORY
Proudly Operated by Battelle Since 1965

	One-way communications	Two-way communications
Decide local issues locally	**Price Reaction** ↑ Full use of response potential ↓ Uncertain system reaction ↓ Market inefficiency ↑ Mitigates privacy issues	**Transactive Energy** ↑ Full use of response potential ↑ Predictable system reaction ↑ Efficient market ↑ Mitigates privacy issues
Decide local issues centrally	**Direct Control** ↓ Partial use of response potential ↓ Uncertain system reaction ↓ Autonomy issues	**Central Optimization** ↑ Full use of response potential ↑ Predictable system reaction ↓ Privacy & autonomy issues ↓ Scalability issues

Slide produced with permission from Dr. Koen Kok, The PowerMatcher Smart Coordination for the Smart Electricity Grid, published by TNO, The Netherlands, 2013. www.tinyurl.com/PowerMatcherBook

Transactive Grid Overview

Pacific Northwest NATIONAL LABORATORY
Proudly Operated by Battelle Since 1965

1. Automated, price-responsive device controls express consumer's flexibility (based on current needs)



2. Consumer system aggregates responses to form overall price flexibility curve

3. Service provider aggregates curves from all consumers

4. Aggregator determines price at which grid objective achieved, broadcasts to consumers





Transactive Energy Principles

Pacific Northwest NATIONAL LABORATORY
Proudly Operated by Battelle Since 1965

Highly automated, coordinated self-optimization	Provide non-discriminatory participation by qualified participants
Transacting parties are accountable for standards of performance	Observable and auditable at interfaces
Maintain system reliability and control while enabling optimal integration of distributed energy resources	Scalable, adaptable, and extensible across a number of devices, participants, and geographic extents

Principles: High-level requirements for TE systems that provide an additional point of reference for communicating with stakeholders and identifying common ground within the transactive energy community.

From GridWise Architecture Council's Transactive Energy Framework
http://www.gridwiseac.org/about/transactive_energy.aspx

Transactive Interaction Model



* E.g., operations signals or e-product exchange

Some US Transactive Energy Demonstrations

Olympic Peninsula demo, ca. 2006-07

- Established viability of transactive decision-making to coordinate multiple objectives
  - Peak load, distribution constraints, wholesale prices
  - Residential, commercial, & municipal water pumping loads, distributed generation



AEP gridSMART® demo, ca. 2010-2014

- PUC-approved real-time price tariff developed
  - Provides dynamic, real-time incentive to respond
  - Reflects real-time prices in PJM energy market
  - Manages AEP T&D constraints and peak load

Home energy management system

Real-time feeder double-auction market



Pacific NW Smart Grid demo, ca. 2010-2015

- Key advancements made by PNWSGD
  - Wind balancing
  - Developed look ahead signals
  - Standardized definition of transactive node and formalized agent testing
  - Showed how “old school” approaches (e.g., direct load control) can be integrated with a transactive schema

Real-time & forward energy exchange with neighbors



U.S. DEPARTMENT OF ENERGY

WA-CEF and U.S. DOE-OE & -EERE Transactive Multi-Campus Project



- Multi-campus network operations
- Transactive campus/bldg. responsive applications
- Transactive / advanced bldg. controls testbed (SEB bldg.)
- Energy efficiency applications, leveraging transactive network
- Smart PV inverter integration w/ distribution
- Transactive grid controls
- Microgrids as a resilience resource/smart city w/ Avista
- Solar PV & CEF battery in WSU microgrid operations
- Flexible loads, thermal storage

For further information

- GridWise® Transactive Energy Framework: http://www.gridwiseac.org/about/transactive_energy.aspx
- Pacific Northwest Smart Grid Demonstration: www.pnwsmartgrid.org/reports.asp
- IEEE PES Magazine, May/June 2016





3rd International Conference and Workshop on Transactive Energy Systems

Pacific Northwest NATIONAL LABORATORY
Proudly Operated by Battelle Since 1965

http://events.gridwiseac.org/2016/tes/#home

2016
Transactive
Energy
Systems
CONFERENCE & WORKSHOP

GridWise® Architecture Council

3rd International Transactive Energy Systems Conference and Workshop

May 17-19, 2016

Portland, Oregon

Thank you!

Pacific Northwest
NATIONAL LABORATORY
Proudly Operated by Battelle Since 1965

Ron Melton
Pacific Northwest National Laboratory
ron.melton@pnnl.gov